

Research

HIGHLIGHTS



AFOSR and the development of the LASER

Dr. Charles Townes is widely regarded as the father of the laser. His invention of the maser in 1954* provided the theoretical foundation for developing the laser.

While those facts are generally known, what isn't as well known is that AFOSR helped fund the early works of Dr. Townes, including the development of the maser.

**He conceived the idea in 1951, the first one operated in 1954.*

Following World War II, there was increased emphasis on developing radar equipment that used increasingly shorter wavelengths. The Joint Services Electronic Program was established in 1946, with the Air Force joining the program in 1947, to support former wartime radar

laboratories, including those at MIT and Columbia. The challenge was to develop shorter wavelengths to enable better directivity for the aircraft and to use smaller antennae. Dr. Townes worked extensively in designing radar-bombing systems and has a number of patents in

related technology.

From this he turned his attention to applying the microwave technique of wartime radar research to spectroscopy which he foresaw as providing a powerful new tool for the study of the structure of atoms and molecules and as a potential new basis for controlling

story continued on next page...



Family, friends and colleagues celebrate with Nobel Prize winner Dr. Charles Townes. Joining the celebration is Dr. Howard Schlossberg (second from left), a long-time AFOSR program manager.

New Laser Use Standards

AFOSR and the development of the LASER

...continued from page 1


electromagnetic waves.

In 1951, Dr. Townes conceived the idea of the maser, and a few months later he and his associates began working on a device using ammonia gas as the active medium. In early 1954, the first amplification and generation of electromagnetic waves by stimulated emission were obtained. Dr. Townes and his students coined the word "maser" for this device, which is an acronym for Microwave Amplification by Stimulated Emission of Radiation.

Critics, who didn't appreciate or understand the significance of the development at the time, dubbed the maser as Means of Acquiring Support for Expensive Research. The maser, in addition to paving the way for the development of the laser, enhanced communication. Because of its sensitivity, it is still used today in atomic clocks.

In collaboration with Dr. Art Schawlow, who shared his interest in microwave spectroscopy, Townes began work on a theory that could enable operations at wavelengths a thousand times shorter than the maser. They first published the principles in 1958 in the *Physical Review*. Work continued on the laser, which was later patented by others in 1960.

In 1964, Townes, along with A. Prokhorov and N. Basov of the Lebedev Institute in Moscow, shared the Nobel Prize in Physics for "fundamental work in the field of quantum electronics which has led to the construction of oscillators and amplifiers based on the maser-laser principle." In 1981, Schawlow was awarded the Nobel Prize for physics for his contribution to the development of the laser.



Uniformed Services University of Health Sciences professor Maj. Pat Roach and postdoctoral Fellow Tome Johnson conduct research on the effects of laser light on the human eye. Their research, along with the efforts of Dr. Benjamin Rockwell at Brooks AFB, Texas led to a new national standard on laser light exposure.

Shed Light on Need for Workers' Eye Protection.

Researchers, funded by AFOSR, have developed new standards to protect workers from the potentially blinding effects of laser light.

The standards are being used by the Department of Defense and have recently been adopted as the national standard through the American National Standards Institute. They have also been proposed as the international standard.

"These new standards will impact the safe use of military, industrial and research lasers worldwide," said Maj. Pat Roach, Ph.D., of the Health Sciences and former AFOSR program manager. He, along with Dr. Benjamin Rockwell of Air Force Research Laboratory and his team from Litton-TASC, conducted research on laser light to fill a gap in safety standards.

These researchers headed up a cross-disciplinary team of investigators consisting of physicists and biologists from universities such as Massachusetts Institute of Technology, Harvard and Duke, as well as from the Air Force Research Laboratory. Prior to this research, there were no safety standards for ultrashort flashes of laser light, despite increasing use of laser technology in both the civilian and military sectors.

"The Department of Defense's use of ultrashort flashes of laser light continues to increase, driven by high operation tempos and new

technological demands," said Roach. "The military uses the technology to illuminate and designate targets, then send the laser-guided munitions to the target. Eventually, they will be used in the U.S.'s theater missile defense system."

Additionally, the use of lasers in the treatment of diseases and injuries has grown significantly over the last few years.

Notwithstanding the tremendous potential of lasers, there are still hazards associated with the technology. Ultrashort flashes of laser light to the human eye may result in permanent blindness. These flashes are less than one nanosecond long, or one billionth of a second. Despite the short duration, they carry a powerful punch. A single nanosecond exposure to the human eye will produce 100 tera-watts (one tera-watt equals 1,000 billion watts) of power at the focusing point within the eye. These ultrashort pulses can produce miniscule "fireballs" which can be as hot as the surface of the sun.


A "direct hit" is not the only danger to the human

eye. Indirect or a reflection off another surface can also harm people.

"Certain lasers are powerful enough to cause blindness when reflected off a carpet or other reflectors like a mirrored surface," said

"This whole project would not have occurred without AFOSR. AFOSR was the only agency who funded the research."

— Maj. Pat Roach, Ph.D.



Roach. "Some lasers are so bright that they can cause harm even at far distances."

The new standards detail safety limits when working with ultrashort laser pulses, including the maximum amount of exposure without risking injury. The guidelines also highlight ways to protect the retina and cornea, and include safety precautions for the skin as well. Workers can safely operate research industrial grade lasers, Roach believes, if the right controls safeguards and protections

are in place.

AFOSR's role in developing this standard and continuing research on the topic can't be overstated.

"This whole project would not have occurred without AFOSR," said Roach. "AFOSR was the only agency who funded the research."

Research continues on the effects of laser light on the human body. Some of the research initiatives include:

- Research on skin and corneal exposures to lasers used in the Department of Defense, including the Army's hand-held range finder and the Air Force's Airborne Laser weapon system.
- Researchers at the U.S. Air Force Academy, supported by AFOSR, are investigating the molecular effects of laser light on the eye. These studies can be important to the development of pharmaceutical remedies, the future establishment of a sensitive in vitro laser-hazard assessment system, and the identification of sub-threshold tissue alterations that may lead to more serious long-term effects.

Program Manager:
Dr. Walt Kozumbo

Directorate of Chemistry and Life Sciences

(703) 696-7720, DSN 426-7720

USUHS contributed to this story.

Ongoing AFOSR Support Contributes to the Success of the Airborne Laser (ABL) Program



As with many of today's weapons systems, the Airborne Laser program is a living testament to the importance of basic research to the Air Force.

ABL is a cost-effective airborne high-energy laser system designed to provide a credible deterrent and lethal defensive capability against theater ballistic missiles in the boost phase. The ABL design uses an active tracking system for precision tracking of missile targets. The active tracking system uses an illuminator laser directed from the ABL to the target to provide the signal from which the target position is determined.

AFOSR management of the basic research program has and continues to contribute to the development of the ABL. AFOSR-supported research to enable the ABL began more than three decades ago.

Professor George Pimentel and J.V. Kasper at the University of California, Berkeley, under AFOSR support,

in 1964, demonstrated the first iodine laser. Further critical understanding of the disposition of energy in chemical reactions was gained from AFOSR funded research by Professor Dudley Hershbach of Harvard University and Professor John Polanyi of the University of Toronto, for which they were awarded the Nobel Prize in Chemistry.

Several technologies have enabled the ABL system. One key technology of the ABL is the Chemical Oxygen Iodine Laser. The COIL device converts the energy of chemical reactions into a powerful, infrared laser beam that can travel through the atmosphere and destroy targets at very long distances. An extensive legacy of AFOSR-sponsored basic research to understand, control and optimize the kinetics of molecular interactions led to the invention and development of the COIL. The first COIL device was demonstrated in 1977 at the Air Force Weapons Laboratory at Kirtland AFB, NM.

Continuing AFOSR support over the last two decades enabled COIL technology to mature to the point where high power output with excellent beam quality and long duration run times will meet ABL requirements. The performance requirements of the ABL are established by operational scenarios and support requirements defined by the user, Air Combat Command, and measured target vulnerability characteristics provided by the Air Force lethality and vulnerability community.

Another key technology critical to the ABL is adaptive optics, a control strategy that compensates for atmospheric turbulence effects on the laser beam. Advanced compensation techniques extend the lethal range of the ABL by 50 percent. This technology has been under development at the Air Force Research Laboratory's Directed Energy Directorate for approximately 20 years.

Research Highlights

Air Force Office of Scientific Research
Communications and Technical
Information

4040 Fairfax Dr. Suite 500
Arlington, VA 22203-1613

Director: Dr. Joseph F. Janni

Web site: www.afosr.af.mil

DSN 426-7305 or 426-7307
Comm: (703) 696-7305 or
(703) 696-7307
Fax: (703) 696-7320
e-mail: afosrinfo@afosr.af.mil

Editor: Jean Schaefer

Research Highlights is published every two months by the Air Force Office of Scientific Research. This newsletter provides brief descriptions of AFOSR basic research activities including topics such as research accomplishments, examples of technology transitions and technology transfer, notable peer recognition awards and honors, and other research program achievements. The purpose is to provide Air Force, DoD, government, industry and university communities with brief accounts to illustrate AFOSR support of the Air Force mission. Research Highlights is available on-line at:

<http://www.afosr.af.mil>

To access our web-site, click on the Research Products and Publications icon, then on Research Highlights.

Currently, AFOSR-funded research is being conducted within the AFRL in the area of atmospheric characterization. Understanding of the atmosphere, including high altitude cloud ice crystal formation, moisture content, winds, etc, will be used to optimize ABL performance.

 **Air Force
Research Laboratory | AFRL**
Science and Technology for Tomorrow's Aerospace Force

Air Force Office of Scientific Research

Communications and Technical Information
4040 Fairfax Drive, Suite 500
Arlington, VA 22203-1613

To find out more about AFOSR Research Highlights past issues and featured articles, visit us at:

www.afosr.af.mil

Have an idea for a story?
Contact Jean Schaefer at:
(703) 696-7305 or by e-mail at:
afosrinfo@afosr.af.mil